

Soils Map





State: Iowa County: Wapello 12-71N-15W Location:

Township: Adams Acres: 74.26 8/20/2019 Date:







Soils data provided by USDA and NRCS.

| Area Symbol: IA179, Soil Area Version: 26 | | | | | | | | |
|---|---|-------|------------------|----------------|---------------------|--------|-----|----------------------|
| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR | *n NCCPI Soybeans |
| 211 | Edina silt loam, 0 to 1 percent slopes | 22.97 | 30.9% | | IIIw | 59 | 60 | 65 |
| 364B | Grundy silt loam, 2 to 5 percent slopes | 16.01 | 21.6% | | lle | 74 | 75 | 63 |
| 731C2 | Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded | 15.67 | 21.1% | | IIIe | 62 | 40 | 55 |
| 131B | Pershing silt loam, 2 to 5 percent slopes | 7.96 | 10.7% | | IIIe | 70 | 65 | 62 |
| 425D2 | Keswick loam, 9 to 14 percent slopes, moderately eroded | 4.43 | 6.0% | | IVe | 9 | 5 | 33 |
| S792D2 | Armstrong loam, 9 to 14 percent slopes, moderately eroded | 3.48 | 4.7% | | IVe | 9 | | 42 |
| 65E2 | Lindley loam, 14 to 18 percent slopes, moderately eroded | 1.54 | 2.1% | | Vle | 29 | 28 | 51 |
| S732C2 | Weller silty clay loam, 5 to 9 percent slopes, moderately eroded | 1.17 | 1.6% | | IIIe | 59 | | 67 |
| 795D2 | Ashgrove silty clay loam, 9 to 14 percent slopes, moderately eroded | 1.03 | 1.4% | | IVe | 7 | 7 | 37 |
| Weighted Average | | | | | | 57.4 | *- | *n 58.5 |

^{**}IA has updated the CSR values for each county to CSR2.

^{*-} CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

^{*}n: The aggregation method is "Weighted Average using major components"
*c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.